

Pavitt, John

From: Sue Sullivan <Sue.Sullivan@itd.idaho.gov>
Sent: Friday, December 06, 2013 9:44 AM
To: Pavitt, John
Subject: EPA inquiry Rigby site - Part 1
Attachments: 1989 ITD Asbestos Reports.pdf

Please respond so I know this made it. thanks

- 1) A copy of the asbestos inspection for the building where a flooring renovation took place is attached.

Sue Sullivan
Idaho Transportation Department
Environmental Program Manager
208 (334-8203)
sue.sullivan@itd.idaho.gov

From: Sue Sullivan
Sent: Friday, December 06, 2013 11:33 AM
To: 'Pavitt, John'
Subject: EPA inquiry Rigby site

John,

I was out of town yesterday and have received your report today. The documents are large – do you have an email limit?

Thanks, Sue

From: Pavitt, John [mailto:Pavitt.John@epa.gov]
Sent: Wednesday, December 04, 2013 6:20 PM
To: Sue Sullivan
Subject: RE: ITD email for your info

Sue, thank you for sending me your e-mail address. I appreciate that you have gathered some information related to the complaint I brought to your attention. To follow up on our phone conversation last week I would like to ask you for some additional information about renovation work which took place at the Rigby, ID facility operated by the ID Transportation Department.

Please send me the following:

- 2) A copy of the asbestos inspection for the building where a flooring renovation took place.
- 3) A copy of any recent asbestos sampling test results, and describe where the sample(s) were collected.
- 4) Describe the scope of the flooring renovation project which took place early this year (I believe this was in April 2013). For example, include the square footage of the break room and hallway where flooring was removed.

Thank you again for your assistance in this matter.

Sincerely,

John Pavitt
EPA Region 10, Alaska Operations Office
(907) 271-3688

For general information on asbestos, see EPA's
National website: <http://www2.epa.gov/asbestos>

Notifications for projects in **Alaska, Idaho** and **Tribal Lands** should be mailed to:
Asbestos NESHAP Coordinator
US EPA, Region 10 (OCE-127)
1200 Sixth Ave., Suite 900
Seattle, WA 98101

From: Sue Sullivan [mailto:Sue.Sullivan@itd.idaho.gov]
Sent: Tuesday, December 03, 2013 9:18 AM
To: Pavitt, John
Subject: ITD email for your info

Thanks John,

Sue Sullivan
Idaho Transportation Department
Environmental Program Manager
208 (334-8203)
sue.sullivan@itd.idaho.gov